





Product environmental attributes - THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display				
Commercial name *	HP Compaq LE19f LCD Monitor				
Model number *	LE19f				
Issue date *	02/18/2010				
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Quality Control		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see http://www.itforetagen.se).		

Model number *	LE19f	Logo	753 °
Issue date *	02/18/2010		

Product e	nvironmental attributes - Legal requirements	Requirer	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	;- <u> </u>		
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EUR&TTE Directive (1999/5/EC)	ı 🗌		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	s		
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	g 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.			

Model number *	LE19f	Logo	75°
Issue date *	02/18/2010		

Product e	environmental at	tributes - Market requ	irements - Environmental conscious design	Requirem	ent r	met
Item	*=mandatory to	fill in. Additional inform	ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disass	embly, recycling				
P7.1*	Parts that have t	to be treated separately	are easily separable			
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.	\boxtimes		
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.			
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily	y separable. (This requ	irement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime	е				
P7.7*	Upgrading can b	e done e.g. with proce	ssor, memory, cards or drives			\boxtimes
P7.8*	Upgrading can b	e done using common	ly available tools			
P7.9.	Spare parts are	available after end of p	roduction for: 5 years			
P7.10	Service is availa	ble after end of produc	tion for: 5 years			
		bstance requirement	S			
P7.11*		ousing material type:				
D7.40*	Material type: Al		Material type: PMMA Material type: PC		_	_
P7.12*			ower cables are halogen free (including PVC)		부	\perp
P7.13*			gnal cables are halogen free (including PVC)		ᆜ	ᆜ
P7.14	All cover/housing	g plastic parts >25g are	e halogen free		<u>Ц</u>	Щ
P7.15	•		onents) >25g are halogen free		Щ	Щ
P7.16	09003-56-9		ants in cover / housing plastic parts >25g according ISO 1043-4:			
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO					
P7.18		ed material in plastic pa			_	
P7.19	R50/51/53 and F	R60/61 (67/548/EEC)	etardant substances/preparations above 0.1% classified as R45/46,		Ш	Ш
P7.20	-	e free from mercury ed specify: Number of la	amps: and max. mercury content per lamp: mg			
P8	Batteries					
P8.1*	Product does no	t contain batteries defir	ned as hazardous according to 91/157/EEC			
P8.2*			Battery chemical composition:			
P8.3		•	following voluntary program/s:			
P9	Energy consum					
9.1		the following power lev	els or energy consumptions have been measured:	Deference		
Mode	Power level at * Volts	Time (s) to <mode></mode>	Mode description	Reference/ Standard		n.a.
On-max	W		*	*		Щ
On- normal	* W	to	*	*		
On-idle	W	to	*	*		
Save 1	* W	to	*	*		
Save 2	W	to	*	*		
Off 1	* W	to	*	*		
Off 2	W	to	*	*		
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* kWh/y	Typical Energy Consur	nption per year	*		
P9.2*			tion is provided with the product.	\boxtimes		
P9.3	ENERGY STAR		nents of the following voluntary program/s: J (Version 5.0)			

Model number *	LE19f	Logo	753°
Issue date *	02/18/2010		

Product 6	environmental att	ributes - Market requirements (continued	d)	R	Requirement met
Item	* = mandatory to	fill in. Additional information regarding each	n item may be four	nd under P14.	Yes No n.a.
P10	Emissions				
~	1	- Declared according to ISO 9296			
P10.1	Mode	Mode description	Declared A-weighted	Declared A-weighted sound pressure level LpA	
			sound power		der positions
			level L _{WAd} (B)		· 🔲
					product is not
				or Deskside Operat	tor attended)
	Idle	*	*		
	Operation	*	*		
	Other mode				
	Measured accord	ding to: SO 7779 ECMA-74			
		Other (only if not covered	by ECMA-74 with	n L _{pAm} measurement distance	m)
P10.2	The product mee	ets the acoustic noise requirements of the fo	ollowing voluntary	program/s:	
	Chemical emiss	sions from printing products			
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:		
	The test covers:			TVOC T	
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:				
F 10. -	Electromagnetic emissions				
			alastromagnotic fix	alda of the following voluntary	
P10.5	program/s:	y meets the requirement for low frequency of	nectromagnetic ne	ands of the following voluntary	
P11	Consumable ma	aterials for printing products			
P11.1*	A Material Safety P4.3).	Data Sheet (MSDS) is available for the ink	toner preparation	, even if not legally required (see	
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.	
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.		
P12	Ergonomics for	computing products			
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays	
P12.2*	The product keyk	poard meets the requirements of ISO 9995	and EN 29241-4.		
P12.3*	The computer inp	out device meets the requirements of ISO 9	241-9.		
P13	Packaging and	documentation			
P13.1*	Product packagin	ng material type(s): Paper/cardboard ng material type(s): EPS (Expanded polysty ng material type(s): Polyethylene high densi		0.271	
P13.2*	Product plastic pa	ackaging is halogen free (including PVC)			
P13.3*	User and product	t documentation do not contain chlorine ble	ached paper		
P13.4*	User and product documentation contain recycled paper				

Model number *	LE19f	Logo	8
Issue date *	02/18/2010		(IP)

P9	Energy cor	sumption				
9.1	For the prod	duct the following powe	r levels or energy cons	sumptions have been mea	sured:	
Power Consum Mode De	ption escription	Power Consumption AC Input Voltage at 100 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 115 VAC +/- 5 VAC, 60 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 230 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Default Time Settings to Enter Energy Saving Mode	Reference Standard (test method)
ENERGY On / Acti	∕ STAR [®] ive Power	14.41W	14.5W	15W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0
ENERGY Sleep	∕ STAR [®]	0.38W	0.39W	0.44W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0
ENERGY Off Mode		0.33W	0.36W	0.36W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0
14	Addition	al information				
All sections	publish	ed. Changes to ex		eferenced in the IT E		date the declaration is ay invalidate some
P 7	evolving Low-Ha bromine CFRs of bromine	g definition of "BFF alogen Electronics e (if the Br source or PVC or PVC cope/chlorine total <1,	R/PVC-free" as set (BFR/CFR/PVC-F is from BFRs) and polymers). All printo 500 ppm (0.15 per	ed circuit board (PCE cent) with a maximu	Position Statement ontain <1,000 ppm rcent) of chlorine (if and substrate larm chlorine of 900 pm chlorine of 900 pm	on the 'Definition of (0.1 percent) of f the CI source is from

NOTE:

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.